Clin. Lab. Haem.
2005, **27**, 419–425

Author Index to Volume 27

Abali, H. *see* Aksoy, S.
Abelman, W. & Virchis, A. An unusual cause of thrombocytopenia, 215
Adıgüzel, C. *see* Bizargity, P.
Afrabiasi, A., Artoni, A., Karimi, M., Peyvandi, F., Ashouri, E. & Mannucci, P.M. Glanzmann thrombasthenia and Bernard–Soulier syndrome in south Iran, 324
Akamatsu, N. *see* Kamihira, S.
Akinyanju, O.O., Otaigbe, A.I. & Ibidapo, M.O.O. Outcome of holistic care in Nigerian patients with sickle cell anaemia, 195
Aksoy, S., Abali, H., Kilickap, S., Dinçer, M. & Erman, M. Persistent myeloproliferative reaction to intrauterine thalidomide exposure, 211
Al Amoudi, S. *see* Aleem, A.
Alabdullah, H., Bareford, D., Braithwaite, R. & Chipman, K. Blood lead levels in iron-deficient and noniron-deficient adults, 105
Aleem, A., Al Amoudi, S., Al-Mashhadani, S. & Siddiqui, N. Haemophagocytic syndrome associated with hepatitis-B virus infection responding to etoposide, 395
Alkins, S. *see* Wylenzek, C.
Al-Mashhadani, S. *see* Aleem, A.
Alvarez-Larrán, A., Toll, T., Rives, S. & Estella, J. Assessment of neutrophil activation in whole blood by flow cytometry, 41
Amess, J.A.L. *see* Heller, M.
Amin, C.J. & Rabinowitz, I. An unusual reoccurrence of Waldenstrom's macroglobulinemia as pleural effusions that had a discordant response with treatment, 200
Ancliff, P. *see* Bain, B.J.
Angelica, R. *see* Greenfield, H.M.
Artoni, A. *see* Afrabiasi, A.
Asai, O. *see* Otsubo, H.
Ashouri, E. *see* Afrabiasi, A.
Ayakta, H. *see* Dilek, I.

Bagamery, K., Kvell, K., Barnet, M., Landau, R. & Graham, J. Are platelets activated after a rapid, one-step density gradient centrifugation? Evidence from flow cytometric analysis, 75
Baglin, T.P. *see* Bowles, K.M.
Baiden-Amissahk, K. *see* Gibbins, J.
Bain, B.J., Murray, J.A., Patterson, K.G., Chakravorty, S., Ancliff, P., Wong, C.C., Hann, I., Wong, C., Philpott, N., Bolam, S. & Thomas, W. Slide session, British Society for Haematology, 45th Annual Scientific Meeting, Manchester, 2005, 363
Bairey, O. & Shaklai, M. Serum CA 125 levels in patients with chronic lymphocytic leukemia, 57
Balfe, A. *see* O'Broin, S.
Bando, S. *see* Takamiya, O.
Bandyopadhyay, D. *see* Narayan, H.
Banfi, G., Dolci, A., Freschi, M. & Verdini, C. Immature reticulocyte fraction (IRF) monitored in elite athletes during a whole season, 213
Banno, S., Ito, Y., Tanaka, C., Hori, T., Fujimoto, K., Suzuki, T., Hashimoto, T., Ueda, R. & Mizokami, M. Quantification of red blood cell fragmentation by the automated hematology analyzer XE-2100 in patients with living donor liver transplantation, 292
Bareford, D. *see* Alabdullah, H.
Barnet, M. *see* Bagamery, K.
Baslamisli, F. *see* Gurkan, E.
Batstone, P. *see* Bellamy, G.J.
Bayık, M. *see* Bizargity, P.
Bellamy, G.J., Clark, S.J., Simpkin, P.S., Batstone, P. & Hinchliffe, R.F. Automated counting of cells in cerebrospinal fluid, 353
Benbih, M. *see* Lesesve, J.-F.
Bench, A.J., Erber, W.N. & Scott, M.A. Molecular genetic analysis of haematological malignancies: I. Acute leukaemias and myeloproliferative disorders, 148
Beyan, C. *see* Guran, S.
Bhattacharyya, M., Oakervee, H., Dalley, C., Glynn, M. & Cavenagh, J. Hepatitis-associated aplastic anaemia treated successfully with antilymphocyte globulin, 331
Bisogni, R. *see* Grimaldi, E.
Bizargity, P., Adıgüzel, C., Ozilhan, G., Bayık, M. & Eksioglu-Demiralp, E. Imatinib does not inhibit neutrophil oxidative burst function in patients with chronic myelogenous leukemia, 79
Bolam, S. *see* Bain, B.J.
Borg, A. *see* Narayan, H.
Bowles, K.M., Cooke, L.J., Richards, E.M. & Baglin, T.P. Platelet size has diagnostic predictive value in patients with thrombocytopenia, 370
Braithwaite, R. *see* Alabdullah, H.
Brereton, M.L. *see* Hutchinson, C.V.
Bromidge, T. *see* Gibbs, G.
Buonanno, M. *see* Vicinanza, P.
Burthem, J. *see* Hutchinson, C.V.

© 2005 Blackwell Publishing Ltd

Carandente, P. *see* Grimaldi, E.
Caruso, D., Crestani, M., Mitro, N., Da Riva, L., Mozzi, R., Sarpau, S., Merlotti, C. & Franzini, C. High pressure liquid chromatography and electrospray ionization mass spectrometry are advantageously integrated into a two-levels approach to detection and identification of haemoglobin variants, 111
Catalano, L. *see* Vicinanza, P.
Cavenagh, J. *see* Bhattacharyya, M.
Cavill, I. Functional iron deficiency, 286
Chachlani, N. *see* Narayan, H.
Chakravorty, S. *see* Bain, B.J.
Chan, K.H., Yuen, S.L.S. & Joshua, D. A case of all-trans retinoic acid-induced myositis in the treatment of acute promyelocytic leukaemia, 399
Chang, J. *see* Greenfield, H.M.
Chaudhary, R.K. *see* Das, S.S.
Chinchang, W. *see* Viprakasit, V.
Chipman, K. *see* Alabdullah, H.
Chng, W.J., Lai, H.C., Earnest, A. & Kuperan, P. Haematological parameters in severe acute respiratory syndrome, 15
Chrostek, L. *see* Cylwik, B.
Ciorba, E. *see* Conti, S.
Clark, S.J. *see* Bellamy, G.J.
Clarke, H. & Pallister, C.J. The impact of anaemia on outcome in cancer, 1
Cohen, H. *see* Winter, M.
Connolly, M. *see* Grey, D.E.
Conti, S., La Torre, D., Gambelunghe, G., Ciorba, E. & Iorio, A. Successful treatment with rFVIIa of spontaneous intracerebral hemorrhage in a patient with mechanical prosthetic heart valves, 283
Cooke, L.J. *see* Bowles, K.M.
Cranfield, T. *see* Wechalekar, A.
Crestani, M. *see* Caruso, D.
Curtin, N.J. & Schwarer, A.P. Nonmyeloablative peripheral blood stem cell transplant for T-cell prolymphocytic leukaemia complicated by fulminant haemolysis and acute renal failure at engraftment secondary to minor ABO incompatibility, 206
Cylwik, B., Chrostek, L., Szmitkowski, M., Kłoczko, J. & Koput, A. Carbohydrate-deficient isoforms of transferrin (%CDT) and sialic acid (SA) in iron-deficiency anemia, 297

Da Riva, L. *see* Caruso, D.
Dalley, C. *see* Bhattacharyya, M.
Das, S.S., Chaudhary, R.K. & Shukla, J.S. Factors influencing yield of plateletpheresis using intermittent flow cell separator, 316
Davies, J.I. *see* Grey, D.E.
De Caterina, M. *see* Grimaldi, E.
De Renzo, A. *see* Vicinanza, P.
Decker, J. *see* Wylenzek, C.
Demir, C. *see* Dilek, I.
Di Chiara, P. *see* Vicinanza, P.
Diaz, S. *see* Durant, E.
Dilek, I., Ayakta, H., Demir, C., Meral, C. & Ozturk, M. CA 125 levels in patients with non-Hodgkin lymphoma and other hematologic malignancies, 51
Dinçer, M. *see* Aksoy, S.
Dixon-McIver, A. *see* Heller, M.
Dolci, A. *see* Banfi, G.
Donnelly, P. *see* Felle, P.
Dührsen, U. *see* Novotny, J.R.
Durant, E., Diaz, S., Greenaway, S. & Smith, A. A novel cytogenetic abnormality in Burkitt lymphoma associated with treatment resistant disease, 328

Earnest, A. *see* Chng, W.J.
Eikelboom, J.W. Bone marrow biopsy morbidity and mortality: 2002 data, 209
Eksioglu-Demiralp, E. *see* Bizargity, P.
El-Agnaf, M. *see* Ramadan, K.M.A.
Erber, W.N. *see* Bench, A.J.
Erber, W.N. *see* Grey, D.E.
Erman, M. *see* Aksoy, S.
Estella, J. *see* Alvarez-Larrán, A.

Fausett, M.B. *see* Wylenzek, C.
Fay, M. *see* Swords, R.
Felle, P., McMahon, C., Rooney, S., Donnelly, P. & Ni Chonchubhair, F. Platelets in the paediatric population: the influence of age and the limitations of automation, 250
Feng, A.-C. *see* Lee, M.-Y.
Fong, E.A. *see* Grey, D.E.
Franzini, C. *see* Caruso, D.
Freschi, M. *see* Banfi, G.
Fucharoen, G. *see* Fucharoen, S.
Fucharoen, S., Singsanan, S., Sanchaisuriya, K. & Fucharoen, G. Molecular and haematological characterization of compound Hb E/Hb Pyrgos and Hb E/Hb J-Bangkok in Thai patients, 184
Fujimoto, K. *see* Banno, S.
Fujioka, T. *see* Ikegame, K.

Gambelunghe, G. *see* Conti, S.
Ganzckowski, M. *see* Wechalekar, A.
Gelly, K.J. *see* Ziglam, H.M.

Gibbins, J., Pankhurst, T., Murray, J., McCafferty, I., Baiden-Amissahk, K., Shafeek, S. & Lipkin, G.W. Extramedullary haematopoiesis in the kidney: a case report and review of literature, 391
Gibbs, G., Bromidge, T., Howe, D., Hopkins, J. & Johnson, S. Comparison of flow cytometric methods for the measurement of ZAP-70 expression in a routine diagnostic laboratory, 258
Glynn, M. *see* Bhattacharyya, M.
Gohl, P. *see* Wylenzek, C.
Goldman, J. *see* Swords, R.
Gómez, J.F. *see* Muñoz, M.
Gotoh, A. *see* Sumi, M.
Graham, J. *see* Bagamery, K.
Green, P.J. *see* Hirri, H.M.
Greenaway, S. *see* Durant, E.
Greenfield, H.M., Sweeney, D.A., Newton, R.K., Leather, A., Murray, J., Angelica, R., Swindell, R. & Chang, J. Estimation of haemopoietic progenitor cells in peripheral blood by the Advia 120 and BD vantage flow cytometer: a direct comparison for the prediction of adequate collections, 287
Grey, D.E., Davies, J.I., Connolly, M., Fong, E.A. & Erber, W.N. The role of RhD agglutination for the detection of weak D red cells by anti-D flow cytometry, 127
Grimaldi, E., Carandente, P., Scopacasa, F., Romano, M.F., Pellegrino, M., Bisogni, R. & De Caterina, M. Evaluation of the monocyte counting by two automated haematology analysers compared with flow cytometry, 91
Guran, S., Beyan, C., Nevruz, O., Yakicier, C. & Tunca, Y. A chronic myeloid leukemia-like syndrome case with del (12) (p12) in a Li-Fraumeni syndrome family, 135
Gurkan, E., Baslamisli, F., Guvenc, B., Kilic, N.B., Unsal, Ç. & Karakoc, E. Thrombotic thrombocytopenic purpura in southern Turkey: a single-center experience of 29 cases, 121
Guvenc, B. *see* Gurkan, E.

Hagino, T. *see* Kaito, K.
Halim, N.K.D. *see* Omoti, C.E.
Hando, S. *see* Takamiya, O.
Hann, I. *see* Bain, B.J.
Harrison, P. *see* Murrin, R.J.A.
Hasegawa, H. *see* Kamihira, S.
Hashimoto, T. *see* Banno, S.
Heller, M., Provan, D., Amess, J.A.L. & Dixon-McIver, A. Myelodysplastic syndrome associated with trisomy 2, 270
Higa, T. *see* Toubai, T.
Higashi, K. *see* Takamiya, O.
Higgs, D.R. *see* Weatherall, M.W.
Hinchliffe, R.F. *see* Bellamy, G.J.
Hirakata, Y. *see* Kamihira, S.
Hirri, H.M. & Green, P.J. Audit of correction of high INR in an anticoagulation clinic, 172
Hopkins, J. *see* Gibbs, G.
Hori, T. *see* Banno, S.
Hoshi, Y. *see* Otsubo, H.
Howe, D. *see* Gibbs, G.
Hughes, M. *see* Narayan, H.
Hutchinson, C.V., Brereton, M.L. & Burthem, J. Digital imaging of haematological morphology, 357

Ibidapo, M.O.O. *see* Akinyanju, O.O.
de la Iglesia Iñigo, S. *see* Molero, T.
Ikegame, K., Kawakami, M., Yamagami, T., Maeda, H., Onishi, K., Taniguchi, Y., Fujioka, T., Masuda, T., Kawase, I. & Ogawa, H. HLA-haploidentical nonmyeloablative stem cell transplantation: induction to tolerance without passing through mixed chimaerism, 139
Imamura, M. *see* Toubai, T.
Inati, A. *see* Khoriaty, R.
Iorio, A. *see* Conti, S.
Ito, Y. *see* Banno, S.
Itoh, Y. *see* Sumi, M.
Iwao, N. *see* Toubai, T.

Jankovic, G. *see* Stankovic, M.
Jeenapongsa, R. *see* Tangvarasittichai, O.
Johnson, S. *see* Gibbs, G.
Jones, T.H. *see* Kapoor, D.
Joshua, D. *see* Chan, K.H.

Kaito, K., Katayama, T., Masuoka, H., Nishiwaki, K., Sano, K., Sekiguchi, N., Hagino, T. & Kobayashi, M. CD2+ acute promyelocytic leukemia is associated with leukocytosis, variant morphology and poorer prognosis, 307
Kaito, K. *see* Otsubo, H.
Kamihira, S., Sugahara, K., Tsuruda, K., Minami, S., Uemura, A., Akamatsu, N., Nagai, H., Murata, K., Hasegawa, H., Hirakata, Y., Takasaki, Y., Tsukasaki, K. & Yamada, Y. Proviral status of HTLV-1 integrated into the host genomic DNA of adult T-cell leukemia cells, 235
Kapoor, D., Ng, J.P. & Jones, T.H. Falsely high glycated haemoglobin [HbA1C] because of haemoglobin OSU-Christiansborg, 334
Karakoc, E. *see* Gurkan, E.
Karimi, M. *see* Afrabiasi, A.
Kasai, M. *see* Toubai, T.
Katayama, T. *see* Kaito, K.
Kato, N. *see* Toubai, T.

Kawakami, M. *see* Ikegame, K.
Kawase, I. *see* Ikegame, K.
Keeling, D. *see* Winter, M.
Kelleher, B. *see* O'Broin, S.
Keser, I. *see* Nal, N.
Khoriaty, R., Taher, A., Inati, A. & Lee, C. A comparison between prophylaxis and on demand treatment for severe haemophilia, 320
Khuroo, R.A. *see* Wandroo, F.A.
Kilic, N.B. *see* Gurkan, E.
Kilickap, S. *see* Aksoy, S.
Kimura, Y. *see* Sumi, M.
Kłoczko, J. *see* Cylwik, B.
Kobayashi, M. *see* Kaito, K.
Kobayashi, M. *see* Otsubo, H.
Konishi, T. *see* Yoshida, S.
Koput, A. *see* Cylwik, B.
Kotila, T.R. Management of acute painful crises in sickle cell disease, 221
Kubota, K. *see* Takamiya, O.
Kuperan, P. *see* Chng, W.J.
Kupesiz, A. *see* Nal, N.
Kvell, K. *see* Bagamery, K.

La Torre, D. *see* Conti, S.
Lai, H.C. *see* Chng, W.J.
Landau, R. *see* Bagamery, K.
Latger-Cannard, V. *see* Lesesve, J.-F.
Leather, A. *see* Greenfield, H.M.
Lecompte, T. *see* Lesesve, J.-F.
Lee, C. *see* Khoriaty, R.
Lee, M.-Y., Tan, T.-D. & Feng, A.-C. Clinico-pathological study of Hodgkin's lymphoma in a cancer center in Taiwan, 379
Lemes, A. *see* Molero, T.
Lesesve, J.-F., Benbih, M. & Lecompte, T. Accurate basophils counting: not an easy goal!, 143
Lesesve, J.-F., Latger-Cannard, V. & Lecompte, T. Pseudo-storage pool disease due to platelet degranulation in EDTA-collected peripheral blood: a rare artifact, 336
Lipkin, G.W. *see* Gibbins, J.
Little, B.H., Robson, R., Roemer, B. & Scott, C.S. Immunocytometric quantitation of foeto-maternal haemorrhage with the Abbott Cell-Dyn CD4000 haematology analyser, 21
Luddington, R.J. Thrombelastography/thromboelastometry, 81
Luleci, G. *see* Nal, N.

Mc Mahon, C. *see* O'Broin, S.
McCafferty, I. *see* Gibbins, J.
McMahon, C. *see* Felle, P.
Maeda, H. *see* Ikegame, K.
Mahendra, P. *see* Wandroo, F.A.
Manguoglu, A.E. *see* Nal, N.
Mannucci, P.M. *see* Afrabiasi, A.
Manteca, A. *see* Muñoz, M.
Manu, N. & Martin, L. Warfarin-induced small bowel obstruction, 350
del Mar Perera Alvarez, M. *see* Molero, T.
Martin, L. *see* Manu, N.
Masuda, T. *see* Ikegame, K.
Masuoka, H. *see* Kaito, K.
Meral, C. *see* Dilek, I.
Merlotti, C. *see* Caruso, D.
Mikovic, D. *see* Stankovic, M.
Milner, B.J. *see* Mittal, S.
Minami, S. *see* Kamihira, S.
Mitro, N. *see* Caruso, D.
Mittal, S., Milner, B.J. & Vickers, M.A. Pyoderma gangrenosum as a cause of splenomegaly and association with a T-cell clone, 402
Miyazawa, K. *see* Sumi, M.
Mizokami, M. *see* Banno, S.
Molero, T., Roemer, B., del Mar Perera Alvarez, M., Lemes, A., de la Iglesia Iñigo, S., Palacios, G. & Scott, C.S. Analysis and enumeration of T cells, B cells and NK cells using the monoclonal antibody fluorescence capability of a routine haematology analyser (Cell-Dyn CD4000), 224
Mozzi, R. *see* Caruso, D.
Muñoz, M., Romero, A., Gómez, J.F., Manteca, A., Naveira, E. & Ramírez, G. Utility of point-of-care haemoglobin measurement in the HemoCue-B haemoglobin for the initial diagnosis of anaemia, 99
Murata, K. *see* Kamihira, S.
Murphy, P.T. *see* Swords, R.
Murray, J. *see* Gibbins, J.
Murray, J. *see* Greenfield, H.M.
Murray, J.A. *see* Bain, B.J.
Murrin, R.J.A., Harrison, P. & Neilson, J.R. A highly unusual cluster of acute promyelocytic leukaemia: an environmental aetiology?, 71

Nagai, H. *see* Kamihira, S.
Nal, N., Manguoglu, A.E., Sargin, C.F., Keser, I., Kupesiz, A., Yesilipek, A. & Luleci, G. Two rare mutations in Turkey: IVS I.130(G–C) and IVS II.848(C–A), 274
Narayan, H., Bandyopadhyay, D., Schmidt, K., Chachlani, N., Hughes, M., Paneesha, S., Rose, P. & Borg, A. Successful treatment of a patient with chronic lymphocytic leukaemia (CLL) presenting with bony metastases with aggressive antibody and chemotherapy, 405

Naveira, E. *see* Muñoz, M.
Negoro, T. *see* Takamiya, O.
Neilson, J. *see* Wandroo, F.A.
Neilson, J.R. *see* Murrin, R.J.A.
Nevruz, O. *see* Guran, S.
Newton, R.K. *see* Greenfield, H.M.
Ng, J.P. *see* Kapoor, D.
Ni Chonchubhair, F. *see* Felle, P.
Nikolic, A. *see* Stankovic, M.
Nishiwaki, K. *see* Kaito, K.
Nishizawa, T. *see* Yoshida, S.
Novotny, J.R., Schmücker, U., Staats, B. & Dührsen, U. Failed or inadequate bone marrow aspiration: a fast, simple and cost-effective method to produce a cell suspension from a core biopsy specimen, 33

O'Broin, S., Kelleher, B., Balfe, A. & Mc Mahon, C. Evaluation of serum transferrin receptor assay in a centralized iron screening service, 190
O'Donnell, R. *see* Swords, R.
Oakervee, H. *see* Bhattacharyya, M.
Ogawa, H. *see* Ikegame, K.
Ohkura, M. *see* Takamiya, O.
Ohnuma, O. *see* Takamiya, O.
Ohyashiki, J.H. *see* Sumi, M.
Ohyashiki, K. *see* Sumi, M.
Olver, W.J. *see* Ziglam, H.M.
Omoti, C.E. & Halim, N.K.D. Adult lymphomas in Edo state, Niger Delta region of Nigeria – clinicopathological profile of 205 cases, 302
Onishi, K. *see* Ikegame, K.
Otaigbe, A.I. *see* Akinyanju, O.O.
Otsubo, H., Kaito, K., Asai, O., Usui, N., Kobayashi, M. & Hoshi, Y. Persistent nucleated red blood cells in peripheral blood is a poor prognostic factor in patients undergoing stem cell transplantation, 242
Ozilhan, G. *see* Bizargity, P.
Ozturk, M. *see* Dilek, I.

Palacios, G. *see* Molero, T.
Pallister, C.J. *see* Clarke, H.
Paneesha, S. *see* Narayan, H.
Pankhurst, T. *see* Gibbins, J.
Patterson, K.G. *see* Bain, B.J.
Pellegrino, M. *see* Grimaldi, E.
Peyvandi, F. *see* Afrabiasi, A.
Philpott, N. *see* Bain, B.J.
Pollio, G. *see* Vicinanza, P.
Provan, D. *see* Heller, M.

Quinn, J. *see* Swords, R.

Rabinowitz, I. *see* Amin, C.J.
Rakheja, D. *see* Singh, Z.N.
Rakicevic, L. *see* Stankovic, M.
Ramadan, K.M.A. & El-Agnaf, M. Efficacy and response to intravenous anti-D immunoglobulin in chronic idiopathic thrombocytopenic purpura, 267
Ramírez, G. *see* Muñoz, M.
Richards, E.M. *see* Bowles, K.M.
Rives, S. *see* Alvarez-Larrán, A.
Robson, R. *see* Little, B.H.
Roemer, B. *see* Little, B.H.
Roemer, B. *see* Molero, T.
Romano, M.F. *see* Grimaldi, E.
Romero, A. *see* Muñoz, M.
Rooney, S. *see* Felle, P.
Rose, P. *see* Narayan, H.
Rotoli, B. *see* Vicinanza, P.

Saif, M.W. DIC secondary to acute pancreatitis, 278
Sanchaisuriya, K. *see* Fucharoen, S.
Sanguansermsri, T. *see* Tangvarasittichai, O.
Sano, K. *see* Kaito, K.
Sargin, C.F. *see* Nal, N.
Sarpau, S. *see* Caruso, D.
Sashida, G. *see* Sumi, M.
Schmidt, K. *see* Narayan, H.
Schmücker, U. *see* Novotny, J.R.
Schwarer, A.P. *see* Curtin, N.J.
Scopacasa, F. *see* Grimaldi, E.
Scott, C.S. *see* Little, B.H.
Scott, C.S. *see* Molero, T.
Scott, M.A. *see* Bench, A.J.
Sekiguchi, N. *see* Kaito, K.
Serjeant, G.R. *see* Weatherall, M.W.
Shafeek, S. *see* Gibbins, J.
Shaklai, M. *see* Bairey, O.
Sharpen, F. *see* Winter, M.
Shigematsu, A. *see* Toubai, T.
Shoji, N. *see* Sumi, M.
Shome, D.K. *see* Singh, Z.N.
Shukla, J.S. *see* Das, S.S.
Siddiqui, N. *see* Aleem, A.
Simpkin, P.S. *see* Bellamy, G.J.
Sinclair, D. *see* Wechalekar, A.
Singh, Z.N., Rakheja, D., Yadav, T.P. & Shome, D.K. Infection-associated haemophagocytosis: the tropical spectrum, 312
Singsanan, S. *see* Fucharoen, S.

Sitthiworanan, C. *see* Tangvarasittichai, O.
Smith, A. *see* Durant, E.
Staats, B. *see* Novotny, J.R.
Stankovic, M., Rakicevic, L., Mikovic, D., Jankovic, G. & Nikolic, A. Indirect diagnosis of haemophilia B by multiplex PCR/RFLP, 145
Steinberger, D. *see* Wylenzek, C.
Sudo, J. *see* Toubai, T.
Sugahara, K. *see* Kamihira, S.
Sumi, M., Tauchi, T., Sashida, G., Shoji, N., Gotoh, A., Itoh, Y., Miyazawa, K., Kimura, Y., Ohyashiki, J.H. & Ohyashiki, K. Clinical usefulness of transcription-mediated amplification and hybridization protection assay in imatinib-treated chronic myelogenous leukemia patients, 416
Suwanthol, L. *see* Viprakasit, V.
Suzuki, T. *see* Banno, S.
Sweeney, D.A. *see* Greenfield, H.M.
Swindell, R. *see* Greenfield, H.M.
Swords, R., Quinn, J., Fay, M., O'Donnell, R., Goldman, J. & Murphy, P.T. CML clonal evolution with resistance to single agent imatinib therapy, 347
Szmitkowski, M. *see* Cylwik, B.

Taher, A. *see* Khoriaty, R.
Takamiya, O., Hando, S., Tekondo, M., Bando, S., Ohkura, M., Negoro, T., Yoshida, T., Higashi, K., Ohnuma, O., Kubota, K. & Tatsumi, N. Japanese collaborative study for fibrinogen assay: variability of the fibrinogen assay between different laboratories does not improve when a common calibrator is used, 177
Takasaki, Y. *see* Kamihira, S.
Tan, T.-D. *see* Lee, M.-Y.
Tanaka, C. *see* Banno, S.
Tanaka, J. *see* Toubai, T.
Tangvarasittichai, O., Jeenapongsa, R., Sitthiworanan, C. & Sanguansermsri, T. Laboratory investigations of Hb Constant Spring, 47
Taniguchi, Y. *see* Ikegame, K.
Tanphaichitr, V.S. *see* Viprakasit, V.
Tatsumi, N. *see* Takamiya, O.
Tauchi, T. *see* Sumi, M.
Tekondo, M. *see* Takamiya, O.
Thomas, W. *see* Bain, B.J.
Toll, T. *see* Alvarez-Larrán, A.
Toubai, T., Tanaka, J., Higa, T., Iwao, N., Shigematsu, A., Kato, N., Watanabe, K., Sudo, J., Kasai, M. & Imamura, M. t(1:3)(q10;p10) and chromosome 7 abnormality associated with the progression of multiple myeloma, 355
Trübenbach, J. *see* Wylenzek, C.
Tsukasaki, K. *see* Kamihira, S.
Tsuruda, K. *see* Kamihira, S.
Tunca, Y. *see* Guran, S.

Ueda, R. *see* Banno, S.
Uemura, A. *see* Kamihira, S.
Unsal, Ç. *see* Gurkan, E.
Usui, N. *see* Otsubo, H.

Vallance, P. *see* Winter, M.
Verdini, C. *see* Banfi, G.
Vicinanza, M. *see* Vicinanza, P.
Vicinanza, P., Catalano, L., Pollio, G., Vicinanza, M., Di Chiara, P., Buonanno, M., De Renzo, A. & Rotoli, B. Δ-CHr improves the identification of anemic syndromes and the evaluation of hemoglobin synthesis, 217
Vickers, M.A. *see* Mittal, S.
Viprakasit, V., Chinchang, W., Suwanthol, L. & Tanphaichitr, V.S. Common origin of a rare β-globin initiation codon mutation (ATG → AGG) in Asians, 409
Virchis, A. *see* Abelman, W.

Wandroo, F.A., Mahendra, P., Khuroo, R.A. & Neilson, J. Plasma cell leukaemia presenting with polyarthralgia and phalangeal lytic lesions, 203
Watanabe, K. *see* Toubai, T.
Weatherall, D.J. *see* Weatherall, M.W.
Weatherall, M.W., Higgs, D.R., Weiss, H., Weatherall, D.J. & Serjeant, G.R. Phenotype/genotype relationships in sickle cell disease: a pilot twin study, 384
Wechalekar, A., Cranfield, T., Sinclair, D. & Ganzckowski, M. Occurrence of autoantibodies in chronic graft *vs.* host disease after allogeneic stem cell transplantation, 247
Weiss, H. *see* Weatherall, M.W.
Wildhardt, G. *see* Wylenzek, C.
Winter, M., Keeling, D., Sharpen, F., Cohen, H. & Vallance, P. Procedures for the outpatient management of patients with deep venous thrombosis, 61
Wong, C. *see* Bain, B.J.
Wong, C.C. *see* Bain, B.J.
Wylenzek, C., Trübenbach, J., Gohl, P., Wildhardt, G., Alkins, S., Fausett, M.B., Decker, J. & Steinberger, D. Mutation screening for the prothrombin variant G20210A by melting point analysis with the Light Cycler system: atypical results, detection of the variant C20209T and possible clinical implications, 343

Yadav, T.P. *see* Singh, Z.N.
Yakicier, C. *see* Guran, S.
Yamada, Y. *see* Kamihira, S.
Yamagami, T. *see* Ikegame, K.

Yesilipek, A. *see* Nal, N.
Yoshida, S., Konishi, T., Nishizawa, T. & Yoshida, Y. Effect of tacrolimus in a patient with pure red-cell aplasia, 67
Yoshida, T. *see* Takamiya, O.
Yoshida, Y. *see* Yoshida, S.
Yuen, S.L.S. *see* Chan, K.H.
Ziglam, H.M., Gelly, K.J. & Olver, W.J. A survey of the antibiotic treatment of febrile neutropenia in haematology units in the United Kingdom, 374

Clin. Lab. Haem.
2005, **27**, 427–430

Subject Index to Volume 27

Abbott Cell-Dyn CD4000, 21
acute leukaemia, 148
acute myeloid leukaemia, 270
acute promyelocytic leukaemia, 71, 399
adult, 374
adult T-cell leukemia, 235
Advia 120 automated analyser, 287
aetiology, 71
all-trans retinoic acid, 399
amplification refractory mutation system, 47
an initiation codon mutation (ATG → AGG), 409
anaemia, 1, 99, 105
analgesia, 221
antibiotic prophylaxis, 374
antibiotic therapy, 374
antibodies, 200
anticoagulant clinic, 172
anticoagulants, 350
anticoagulation, 61
anti-D, 267
antilymphocyte globulin, 331
antithrombotics, 283
apheresis timing, 287
APL, 307
aplastic anaemia, 331
artifact, 336
audit, 172
autoantibody, 247
automated hematology analyzer XE-2100, 292
automated platelet analysis, 250

Bayer ADVIA 120, 91
bcr/abl translocation, 135
Becton Dickinson FACScan, 91
Bernard-Soulier syndrome, 324
β-globin haplotype, 184, 409
β-thalassemia, 274
β2-microglobulin, 57
bleeding, 278, 320
blood donors, 105
blood transfusion, 81
blood transfusion rates, 195
bone marrow aspiration, 33
bone marrow pathology, 370
bone marrow transplantation, 247
BRAD-3 monoclonal antibody, 21

cancer, 1
cancer antigen 125, 57
cancer antigen 125 level, 51
cancer-related anaemia, 1
capillary blood, 99
CD2, 307
CD34+ cells, 287
cell separator, 316
Cell-Dyn CD4000, 224
CHr, 217
chronic graft *vs.* host disease, 247
chronic lymphocytic leukaemia, 258, 405
chronic lymphocytic leukemia, 57
chronic myeloid leukaemia, 347
chronic myeloid leukemia-like syndrome, 135
chronic myeloproliferative disorders, 148
Clauss method, 177
clinicopathologic, 302
clonal evolution, 347
cluster, 71
CMYC, 328
coagulation, 278
coagulation factors, 320
common calibrator, 177
computer assisted dosing, 172
concordance, 384
continuous professional development, 357
corticosteroids, 67, 121
Coulter LH 750, 91
C-reactive protein, 190

deep venous thrombosis, 61, 343
deletion, 328
density gradient centrifugation, 75
diagnostic haematology, 370
diamed, 127
digital morphology, 357
disseminated intravascular coagulopathy, 278
donor hemoglobin, 316
donor platelet count, 316
dry tap, 33

eosinophilia, 363
EQA, 357
ethnic origin, 343
ethylene diamine tetra-acetic acid, 336

© 2005 Blackwell Publishing Ltd

etoposide, 395
external quality control, 177
extramedullary haematopoiesis, 391

features, 302
ferritin, 105
feto-maternal haemorrhage, 127
fever, 374
fibrinogen, 177
flow cytometry, 33, 41, 75, 91, 127, 258
fluorescence *in situ* hybridization, 328
fluro-D, 127
foeto-maternal haemorrhage, 21
fragmented red cell, 292
full blood count, 190

γ and δ T-cell clone, 402
genetic diagnosis, 235
Glanzmann thrombasthenia, 324
global screening, 81
glycated haemoglobin, 334
graft-*vs.*-host disease, 139
graft-*vs.*-lymphoma effect, 139

haematological parameters, 15
haemodialysis, 105
haemoglobin, 99
haemoglobinopathies, 111, 334
haemolytic disease of the newborn, 21
haemophagocytic syndrome, 312, 395
haemophilia, 320
haemopoietic progenitor cells, 287
haemostasis, 81
Hb Constant Spring, 47
Hb E, 184
Hb E/β-thalassaemia, 409
Hb J Bangkok, 184
Hb Pyrgos, 184
HbS/β-thalassemia, 274
hematologic malignancy, 51
HemoCue, 99
hepatitis, 331
hepatitis B-virus infection, 395
high-performance liquid chromatography, 47, 111
histiocytosis, 312
HLA-haploidentical nonmyeloablative stem cell transplantation, 139
Hodgkin's lymphoma, 379
holistic treatment, 195
human T-cell leukemia virus type-1, 235
hypercalcaemia, 405

idiopathic thrombocytopenic purpura, 267
imatinib, 347
immune haemolysis, 206
immunoglobulin, 267
immunoglobulin VH genes, 258
immunoglobulin-H, 328
incidence, 302, 379
INR, 172
intestinal + obstruction, 350
intracerebral hemorrhage, 283
iron, 105
iron deficiency, 190
iron-deficiency anemia, 297
IVS I.130 (G–C), 274
IVS I.I848 (C–A), 274

jejunal + diseases, 350

karyotyping, 33
Kleihauer–Betke test, 21

lactate dehydrogenase, 57
lead, 105
leukaemia, 363
leukocytosis, 307
Li-Fraumeni syndrome, 135
living donor live transplantation, 292
lymphocytes, 224
lymphoma, 200, 302, 379

mass spectrometry, 111
mean platelet volume, 370
mechanical disaggregation, 33
microcytic anemia, 217
minimal residual disease, 148
molecular analysis, 148
molecular genetic diagnostic, 343
monoclonal, 200
monoclonal antibodies, 224
monocyte count, 91
morbidity and mortality rates, 195
morphology, 357, 363
mortality, 242
multiplex-allele-specific PCR, 184
multistep model of cancer, 270
mutation detection systems, 343
mutation specific restriction enzyme digestion, 47
myasthenia gravis, 67
myelodysplasia, 270
myelofibrosis, 391
myositis, 399

neoplasm, 200
nephromegaly, 391
neutropenia, 374
neutrophil activation, 41
non-Hodgkin lymphoma, 51
non-Hodgkin's lymphoma, 139
nonmyeloablative peripheral blood stem cell transplantation, 206
nucleated red blood cell, 242

on demand, 320
opioids, 221
oral anticoagulant, 283
osteolytic lesions, 405
osteopetrosis, 363
outpatient treatment, 61
oxidative burst, 41

p53, 135
paediatrics, 250
painful crisis, 221
pancreatitis, 278
peripheral blood stem cell mobilization, 287
phalyngeal lytic lesions, 203
Philadelphia chromosome, 135, 347
plasma cell leukaemia, 203
platelet, 336
platelet activation, 75
plateletpheresis, 316
pleural effusion, 200
polyarthralgia, 203
polymerase chain reaction, 148
postsplenectomy, 267
pregnancy, 105
prognosis, 1, 15, 242, 258, 307
prophylaxis, 320
prothrombin variants, 343
provirus, 235
pseudo-grey platelet syndrome, 336
pseudo-storage pool disease, 336
pure red-cell aplasia, 67
pyoderma gangrenosum, 402

quantitation, 224

rare mutations, 274
reactive haemophagocytosis, 312
recombinant factor VIIa, 283
red cells, 363
reference method, 99
refractory, 267
renal failure, 391
resistance, 347
reticulocyte indexes, 217
retinoic acid syndrome, 399

screening, 111
serum ferritin, 190
severe acute respiratory syndrome, 15
sialic acid, 297
sickle cell anaemia, 195
sickle cell disease, 195, 221, 384
sickle cell disorder, 195
single donor platelets, 316
small lymphocytic lymphoma, 57
southern blotting, 235
splenomegaly and monoclonal gammopathy, 402
standardization, 61
stem cell transplantation, 242
sterile abscess, 402
Sweet's syndrome, 399

t(8,14), 328
tacrolimus, 67
Taiwan, 379
T-cell prolymphocytic leukaemia, 206
thrombelastography, 81
thrombocytopenia, 250, 370
thromboelastometry, 81
thrombotic microangiopathy, 292
thrombotic thrombocytopenic purpura, 121, 292
thymoma, 67
transferrin isoforms, 297
transferrin receptors, 105, 190
treatment outcome, 121
tretinoin, 399
trisomy 2, 270
tumour oxygenation, 1
twin studies, 384

unbalanced chromosomal abnormality, 270

variant, 307
variant identification, 111
venous blood, 99
virtual slide, 357
virus associated haemophagocytic syndrome, 395

Waldenstrom macroglobulinemia, 200
warfarin, 172

weak D, 127
white cells, 363

*Xmn*I polymorphism, 409

ZAP-70, 258
zinc, 105
zinc protoporphyrin, 105, 190